## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

- (Currently Amended) A layered structure comprising:
- a first intermediate layer, said first intermediate layer consisting of at least one of a titanium based coating of at least one of Ti, [[Cr,]] TiC, TiN, and TiCN;
   CrN-or-CraC3;
- a second intermediate layer deposited on top of said first intermediate layer, said second intermediate layer comprising a diamond-like nanocomposite composition;
- a diamond-like carbon layer deposited on top of said second intermediate layer.
- (Currently Amended) A layered structure according to claim 1, wherein said first intermediate layer consists of titanium and/or-chromium.
- (Previously Presented) A layered structure according to claim 1, wherein said structure further comprises at least a layer comprising a diamond-like nanocomposite composition on top of said diamond-like carbon layer.
- (Previously Presented) A layered structure according to claim 1, wherein said first intermediate layer has a thickness between 0.001 and 1 µm.
- 5. (Previously Presented) A layered structure according to claim 1, wherein said second intermediate layer has a thickness of 0.01 to 5  $\mu m$ .
- 6. (Previously Presented) A layered structure according to claim 1, wherein said diamond-like carbon layer has a thickness between 0.1 and 10  $\mu$ m.

- 7. (Previously Presented) A layered structure according to claim 1, wherein said nanocomposite composition comprises in proportion to the sum of C, Si, and O in at % 40 to 90 % C, 5 to 40 % Si, and 5 to 25 % O.
- (Previously Presented) A layered structure according to claim 1, wherein said second intermediate layer comprises a metal doped diamond-like nanocomposite composition.
- (Previously Presented) A layered structure according to claim 1, wherein said diamond-like carbon layer is doped with a metal.
- (Previously Presented) An article of manufacture, comprising:
   a substrate covered at least partially with a layered structure according to claim 1.
- 11. (Cancelled).
- 12. (Previously Presented) A method to cover a substrate with a layered structure, said method comprising the steps of:
  - providing a substrate;
- applying a first intermediate layer, said first intermediate layer comprising at least one element of group IVB, group VB or group VIB;
- applying a second intermediate layer, said second intermediate layer comprising a diamond-like nanocomposite composition; and
- applying a diamond-like carbon layer to obtain a layered structure according to claim 1.
- 13. (Currently Amended) A layered structure comprising:
- a first intermediate layer, said first intermediate layer consisting
  essentially of at least one of a titanium based coating of at least one of Ti, [[Cr,]] TiC,
  TiN, and TiCN, CrN or Cr<sub>3</sub>C<sub>2</sub>);

- a second intermediate layer deposited on top of said first intermediate layer, said second intermediate layer comprising a diamond-like nanocomposite composition; and
- a diamond-like carbon layer deposited on top of said second intermediate layer.
- 14. 15. (Cancelled).